

Lambda-cyhalothrin

Active ingredient content: 10%

Formulation: CS



Moderate toxicity

Scope and method of application:

Crop	Pests	Formulation Rates	Methods of application
Outdoor	Fly	200 times dilute	Spray
1. Shake the product well before use. 2. Pour half of the required amount of clean water into the sprayer, pour the amount of product into the sprayer, and then add the other half of the required clean water to the sprayer. (Dilute in a ratio of 1:200) Cover the sprayer cap and mix the product in the sprayer thoroughly. 3. This product is used for outdoor fly control. The sprayer is pressurized to working pressure, and the recommended dosage is used to spray in space.			

Exporter: UPI CROPSCIENCE CO., LTD.

Add.: C-312 Hi-Tech Information Plaza No.8 Huatian Road Huayuan Tianjin City 300384 P.R. China.

Tel: 86-022-23707836

Fax: 86-022-23707631

Product characteristics:

This product has the advantages of fast knockdown, strong knockdown, and low dosage. It has a good effect on the prevention and control of outdoor hygiene pests and flies. This product is forbidden to be used indoors.

Attentions:

1. This product is for professional use only. 2. This product is toxic to fish and other aquatic organisms, bees, and silkworms. Avoid polluting water sources; pesticide

application equipment must not be washed in river ponds; it is forbidden in places near silkworm houses. It cannot be used directly in water bodies. 3. When using this product, take safety protection measures, wear protective clothing, gloves, and face shields. Avoid inhaling liquid medicine. Do not eat, drink or smoke during application. After spraying, take off clothes in time, wash with washing powder and water, and wash exposed parts of skin with soap and water. 4. Do not use on human body or food, and keep this product out of reach of children. Do not let children and animals come into contact with the liquid medicine when it is still wet. 5. The used containers should be properly disposed of, and should not be used for other purposes, nor should they be discarded at will. 6. Do not mix with alkaline substances. 7. It is forbidden to contact pregnant women and breast-feeding women; those with allergies are forbidden, and if there are any adverse reactions during use, please consult a doctor in time.

First aid:

Symptoms of poisoning: It is a nerve agent, and the skin at the contact site feels tingling, especially around the mouth and nose, but there is no erythema. Rarely cause systemic poisoning. Large exposure can cause headache, dizziness, nausea, vomiting, trembling hands, convulsions or convulsions, coma, and shock. First aid measures: If you feel unwell during or after use, you should stop working immediately, take first aid measures, and take this label to the hospital immediately. If on skin: Take off contaminated clothing, use a soft cloth to remove pesticides, and rinse immediately with soap and plenty of water. If in eyes: rinse immediately with water for at least 15 minutes. If inhalation: Leave the application site immediately and move to a place with fresh air. If swallowed: Stop taking it immediately, rinse your mouth with clean water, and go to the hospital immediately with the pesticide label. This product has no special antidote and can treat symptomatically. Gastric lavage when swallowed in large quantities. Can not induce vomiting.

Storage and transport:

Store in dry, cool, well ventilated, waterproof area with a lock, keep away from heat, flame and water resource or residential area, KEEP OUT OF REACH OF CHILDREN and women. Keep away from food, drink, animal feeding stuffs, seeds and daily articles, and other dangerous objects during storage or transport.

Net weight: see package

Batch No.: see lid

Product date: see lid

Shelf life: 2 years



Insecticide